OPNAV-16-223
Form ACA-1
Sheet 1 of 5

AIRCRAFT ACTION REPORT

RESTRICTED
(Reclassify when filled out)

CONFIDENTIAL

I. GENERAL

(a) Unit Reporting VMF-251 (b) Based on or at SAMAR, PHILIPPINE Is. (c) Report No. 74

(d) Take off: Date 19 February, 1945 Time (LZT) 0845 I (Zone); Lat 11°2'N Long. 125°44'E

(e) Mission Bomb LICANAN, MINDANAO (f) Time of Return 1205 I (Zone)

II. OWN AIRCRAFT OFFICIALLY COVERED BY THIS REPORT.

TYPE (a)	SQUADRON (b)	NUMBER: TAKING OFF (c)	NUMBER: ENGAGING ENEMY A/C (d)	NUMBER: ATTACKING TARGET (e)	BOMBS AND TORPEDOES CARRIED (PER PLANE) (f)	FUZE, SETTING (g)
F4U-1D	VMF 251	16	None	14	1x1000 GP.	Inst.

III. OTHER U. S. OR ALLIED AIRCRAFT EMPLOYED IN THIS OPERATION.

TYPE	SQUADRON	NUMBER	BASE	TYPE	SQUADRON	NUMBER	BASE
None							

IV. ENEMY AIRCRAFT OBSERVED OR ENGAGED (By Own Aircraft Listed in II Only).

(a) TYPE	(b) NO. OBSERVED	(c) NO. ENGAGING OWN A/C	(d) TIME ENCOUNTERED	(e) LOCATION OF ENCOUNTER	(f) BOMBS, TORPEDOES CARRIED; GUNS OBSERVED	(g) CAMOUFLAGE AND MARKING
None			(ZONE)			
			(ZONE)			
			(ZONE)			

(h) Apparent Enemy Mission(s) _____

(i) Did Any Part of Encounter(s) Occur in Clouds? _____ (YES OR NO) If so, Describe Clouds _____ (BASE IN FEET, TYPE AND TENTHS OF COVER)

(j) Time of Day and Brilliance of Sun or Moon _____ (NIGHT, BRIGHT MOON; DAY, OVERCAST; ETC.) (k) Visibility _____ (MILES)

V. ENEMY AIRCRAFT DESTROYED OR DAMAGED IN AIR (By Own Aircraft Listed in II Only).

(a) TYPE ENEMY A/C	(b) DESTROYED OR DAMAGED BY: TYPE A/C	SQUADRON	PILOT OR GUNNER	GUNS USED	(c) WHERE HIT, ANGLE	(d) DAMAGE CLAIMED
None						

3 03078

ALLSET – MFD. BY THE EGRY REGISTER CO., PATENTED

H1

OPNAV-16-V-#S37
Form ACA-1
Sheet 2 of 5

AIRCRAFT ACTION REPORT

RESTRICTED
(Reclassify when filled out)

CONFIDENTIAL

REPORT No. 74

VI. LOSS OR DAMAGE, COMBAT OR OPERATIONAL, OF OWN AIRCRAFT (of those listed in II only).

(a) TYPE OWN A/C	(b) SQUADRON	(c) CAUSE: TYPE ENEMY A/C, TYPE GUN, OR OPERATIONAL CAUSE	(d) WHERE HIT, ANGLE (List armor, self-sealing tanks, equipment hit)	(e) EXTENT OF LOSS OR DAMAGE, (Give Bureau serial number of planes destroyed)
1 F4U-1D	VMF-251	AA fire	Hole in wing of Lt.	Slight damage.
2			MAC LACHLAN's plane	
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				

VII. PERSONNEL CASUALTIES (in aircraft listed in II only; identify with planes listed in VI by Nos. at left).

(a) NO.	(b) SQUADRON	(c) NAME, RANK OR RATING	(d) CAUSE	(e) CONDITION OR STATUS
	None			

VIII. RANGE, FUEL, AND AMMUNITION DATA FOR PLANES RETURNING

(a) TYPE A/C	(b) MILES OUT	(c) MILES RETURN	(d) AV. HOURS IN AIR	(e) AV. FUEL LOADED	(f) AV. FUEL CONSUMED	(g) TOTAL AMMUNITION EXPENDED				(h) NO. OF PLANES RETURNING
						.30	.50	20MM	MM	
F4U-1D	240	240	3.3	400	220		None			14

IX. ENEMY ANTI-AIRCRAFT ENCOUNTERED (Check one block on each line).

CALIBER	NONE	MEAGER	MODERATE	INTENSE
HEAVY — Time-fused shells, 75mm and over	X			
MEDIUM — Impact-fused shells, 20mm-50mm		X		
LIGHT — Machine gun bullets, 6.5mm-13.2mm	X			

X. COMPARATIVE PERFORMANCE, OWN AND ENEMY AIRCRAFT (use check list at left).

SPEED, CLIMB,
at various altitudes

TURNS
DIVES
CEILINGS
RANGE
PROTECTION
ARMAMENT

ALLSET — MFD. BY THE EGRY REGISTER CO., PATENTED

42

OPNAV-16-223
Form A-CA-1
Sheet 3 of 5

AIRCRAFT ACTION REPORT

RESTRICTED
(Reclassify when filled out)

(OMIT THIS SHEET IF NO ATTACK WAS MADE)

CONFIDENTIAL

REPORT No. 74

XI. ATTACK ON ENEMY SHIPS OR GROUND OBJECTIVES (By Own Aircraft Listed in II Only).

(a) Target(s) and Location(s) LICANAN A/D, MINDANAO (FOR SHIPS INCLUDE ALL IN AREA UNDER ATTACK) (b) Time Over Target(s) 1025 I (Zone)

(c) Clouds Over Target None (BASE IN FEET, TYPE AND TENTHS OF COVER)

(d) Visibility of Target Clear (CLEAR, HAZY, PARTIALLY OBSCURED BY CLOUDS, ETC.) (e) Visibility Unlimited. (MILES)

(f) Bombing Tactics: Type 65° dive with brakes (LEVEL, GLIDE OR DIVE) Bomb Sight Used Sunight. (TYPE)

Bombs Dropped per Run One (NUMBER) Spacing (FEET) Altitude of Bomb Release 2000 (FEET)

(g) Number of Enemy Aircraft Hit on Ground: Destroyed Probably Destroyed Damaged

(h) AIMING POINT	(i) DIMENSIONS OR TONNAGE	(j) NO A/C ATTACKING / (k) SQUADRON	(l) BOMBS AND AMMUNITION EXPENDED EACH AIMING POINT	(m) NO HITS On Aiming Point	(n) DAMAGE (None, slight, serious, destroyed or sunk)
1 150 foot bridge, LASANG RIVER, MINDANAO		4 / VMF-251	4x1000 lb. GP	None	Bombs over and undershot bridge but hit among buildings either side of river.
2					
3					
4 Barracks located either side of LASANG RIVER, LICANAN		10 / VMF 251	10x1000 lb. GP	Several	Slight
5 AIRFIELD, MINDANAO					
6					
7					
8					

(o) RESULTS: (For all hits claimed on ship targets and for land targets of special interest, draw diagram, top or side view or both, as appropriate, showing type and location of hits. For all targets give location and effect of hits, and identify by numbers above. Use additional sheets if necessary).

4. Excellent coverage was had of the barracks area, and some debris was observed flying during the bombing attack. No specific damage was seen.

(p) Were Photographs Taken? No. Photographs of Damage, WhenTaken, Should Be Attached By Staple.

ALLSET — MFD. BY THE EGRY REGISTER CO., PATENTED

43

OPNAV-16-223
Form ACA-1
Sheet 4 of 5

AIRCRAFT ACTION REPORT

RESTRICTED
(Reclassify when filled out)

CONFIDENTIAL

REPORT No. 74

XII. TACTICAL AND OPERATIONAL DATA. (Narrative and comment. Describe action fully and comment freely, following applicable items in check list at left. Use additional sheets if necessary.)

ENGAGEMENT WITH ENEMY

OWN AIRCRAFT
- Disposition
- Altitudes
- Speeds
- Approach Tactics
- Use of Cover, Deception
- Angles of Attack and Their Effectiveness
- Distance of Opening Fire
- Defense Tactics and Their Effectiveness

ENEMY AIRCRAFT
- Method of Locating, Distance
- Disposition
- Altitudes
- Speeds
- Approach Tactics
- Use of Cover, Deception
- Angles of Attack
- Distance of Opening Fire
- Defensive Tactics

COMMENTS AND RECOMMENDATIONS
- Own Weaknesses
- Enemy Weaknesses
- Offensive Tactics, Own
- " " , Enemy
- Defensive Tactics, Own
- " " , Enemy
- Flexible Gunnery, Own
- Escort Tactics
- Fighter Direction
- Use of Radar
- Night Fighting
- Recognition, Aircraft

ATTACK

OWN TACTICS
- Method of Locating Target
- Approach to Target
- Altitudes, Speeds
  - Approach
  - Dive
  - Pull-Out
- Dive Angle
- Strafing
- Retirement
- Defensive Tactics
- Use of Jamming

DEFENSE, ENEMY
- Evasive Tactics, Ships
- Concealment
- Searchlights
- Night Fighter Tactics
- Use of Jamming

COMMENTS AND RECOMMENDATIONS
- Bombing Tactics
- Torpedo Tactics
- Effectiveness of Bombs, Torpedoes
- Selection of Targets
- Fuzing
- Strafing Tactics
- Defensive Tactics
- Use of Radar
- Reconnaissance
- Photography
- Briefing

OPERATIONAL
- Navigation
- Homing
- Rendezvous
- Recognition, Ships
- Communications
- Flight Operations
- Search and Tracking
- Base Operations
- Maintenance

This attack was directed against Japanese concentrations east of LICANAN AIRFIELD, which lies along the western shore of DAVAO GULF, ten miles north of DAVO CITY, MINDANAO. The approach to the target was from the east, to take advantage of the morning sun; and to the south of the target to avoid knownanti-aircraft gun positions to the north.

The flight pushed over in its dive from approximately ten thousand feet, made the bombing run from SE to NE, and retired to the east, rendezvousing at two thousand feet at a point about five miles south of SAMAL ISLAND, DAVAO GULF. The attack went as planned. No strafing run was made, because of the proximity of several anti-aircraft positions known to be occupied and active.

ALLSET — MFD BY THE EGRY REGISTER CO., PATENTED

44

OPNAV-16-223
Form ACA-1
Sheet 5 of 5

AIRCRAFT ACTION REPORT

RESTRICTED
(Reclassify when filled out)

CONFIDENTIAL

REPORT No. 74

XIII. MATERIAL DATA. (Comment freely on performance or suitability, following check list at left. Use additional sheets if necessary).

ARMAMENT
- Guns, Gunsights
- Turrets
- Ammunition
- Bombs, Torpedoes
- Bomb Sights
- Bomb Releases

COMMUNICATIONS
- Radio, Radar
- Homing Devices
- Visual Signals
- Codes, Ciphers

RECOGNITION
- IFF
- Signals
- Battle Lights
- Procedures

PROTECTION
- Armor; Points and Angles of Fire Needing Further Protection
- Leak Proofing

EMERGENCY EQUIPMENT
- Parachutes
- Life Belts, Life Rafts
- Safety Belts
- Emergency Kits
- Rations, First Aid

NAVIGATIONAL EQUIPMENT
- Compasses
- Driftsights
- Octants
- Automatic Pilots
- Charts
- Field Lighting

INSTRUMENTS
- Flight
- Power Plant

OXYGEN SYSTEM

CAMOUFLAGE AND DECEPTION DEVICES

STRUCTURE
- Airframe
- Control Surfaces
- Control System
- Dive Flaps
- Landing Gear
- Heating System
- Flight Characteristics At Various Loadings

POWER PLANT
- Engines
- Engine Accessories
- Propellers
- Lubricating System
- Starters
- Exhaust Dampers

HYDRAULIC SYSTEM

ELECTRICAL SYSTEM
- Auxiliary Plant
- Lights

FUEL SYSTEM

FLIGHT CLOTHING

MAINTENANCE

BASE FACILITIES
- Plane Servicing Equipment
- Personnel Facilities

No comment.

MISSION LOG

Bacheler	Area hit.
Harris	" "
Pirages	" "
Irwin	" "
Schroeder	" "
Evans	" "
Daigle	Jettisoned bomb and returned to base, hydraulic leak.
Jernigan	Area hit.
Smith	" "
Beattie	Returned to base, hydraulic leak
Rosellen	Area hit.
Mac Lachlan	" "
Jennings	" "
Erdmann	" "
Warren	" "
Wolf	" "

REPORT PREPARED BY:

H. R. WELCH, 2nd Lt., A.C.I.O.
SIGNATURE — RANK AND DUTY

APPROVED BY:

W. L. BACHELER, Major, 19 February, 1945.
SIGNATURE — RANK AND DUTY — DATE
Commanding Officer.

ALLSET — MFD. BY THE EGRY REGISTER CO., PATENTED

45